

## CLiQSMART® 360

Wetting and Anti-Crater Additive

**CLiQSMART 360** is a highly efficient substrate wetting and anti-crater additive agent for aqueous clear and pigmented systems. The additive is based on a special polysiloxane structure, which does not stabilize foam during production and application.

**CLiQSMART 360** provides a fast dynamic and stable static surface tension reduction, which allows excellent substrate wetting and penetration control. The additive is highly recommended for all kinds of industrial coatings for wood, plastic, and metal.

**CLiQSMART 360** has high system compatibility and can be applied in base- and topcoats with almost no impact on recoatability/intercoat adhesion.

### Typical values:

Appearance:	Slightly yellow liquid
Solids content:	100%
Density:	ca. 1.10 g/ml
Viscosity at 20°C:	ca. 100 mPas

### Level of Use / Incorporation:

**CLiQSMART 360** can be added at every production stage. The required loading level depends on the nature of the system. However, a loading level between 0.10 and 1.0% is typically sufficient to achieve the required properties.

**CLiQSMART 360** is compatible with most aqueous general industrial and architectural systems based on a variety of binder systems. The optimum loading level should be determined for each system using a loading ladder study. It is also recommended to evaluate the effect of the additive on intercoat adhesion in each individual system.

**CLiQSMART 360** performance is not impacted by freezing, although, for ease of handling, it is recommended to store in a cool dry place above 5°C. The minimum shelf life is 36 months when stored in unopened packages.

For information on health and safety information, please consult the Material Safety Data Sheet.

CLiQ SwissTech AG  
Bahnhofstrasse 3  
7320 Sargans  
Switzerland

CLiQ SwissTech (Deutschland) GmbH  
Bertram-Blank-Strasse 8A  
51427 Bergisch Gladbach  
Germany

CLiQ SwissTech (Netherlands) B.V.  
Blauwborgje 31  
9747AC Groningen  
The Netherlands

sample@cliqswiss.com • info@cliqswiss.com

[www.cliqswiss.com](http://www.cliqswiss.com)

This information is based to best of our knowledge and on test results obtained in our laboratory. It is given in good faith and should only regard as recommendations. No warranty is given, and it is advised to all users to evaluate the products carefully for their intended use. Please also consider all further information, labels, and especially the safety data sheet! For further questions, technical service, and samples, please feel free to contact us.