

## CLiQSPERSE® 127

### Wetting Agent / Dynamic Surface Tension Additive

**CLiQSPERSE 127** is a highly efficient low foaming wetting agent for aqueous and non-aqueous systems. The non-ionic modified polyglycol ether block co-polymer is APE-free and can be applied in VOC-complaint formulations.

**CLiQSPERSE 127** strongly reduces dynamic surface tension in aqueous systems without promoting foam formation. It is particularly recommended for applications where low dynamic surface tension combined with low foaming is important.

**CLiQSPERSE 127** is recommended for wood protecting systems where strong penetration is required. It also improves compatibility of pigment concentrates with all kinds of industrial coatings.

#### Typical values:

Appearance:	slightly yellow liquid
Solids content:	100%
Density:	ca. 1 g/ml
Viscosity at 20°C:	ca. 100 mPa.s

#### Level of Use / Incorporation:

**CLiQSPERSE 127** can be added at every production stage. The required loading level depends on the nature of the system. However, a loading level between 0.25 and 1.0 % is typically sufficient to achieve the required properties.

**CLiQSPERSE 127** is compatible with most aqueous general industrial and architectural systems based on a variety of binder systems.

**CLiQFLOW 127** is recommended to store in a cool dry place above 5°C. The performance is not impacted by lower temperature storage or freezing, but homogenization is recommended when re-heated. The minimum shelf life is 36 months when stored in unopened packages.

For information on health and safety information, please consult the Material Safety Data Sheet.

CLiQ SwissTech AG  
Bahnhofstrasse 3  
7320 Sargans  
Switzerland

CLiQ SwissTech (Deutschland) GmbH  
Bertram-Blank-Strasse 8A  
51427 Bergisch Gladbach  
Germany

CLiQ SwissTech (Netherlands) B.V.  
Blauwborgje 31  
9747AC Groningen  
The Netherlands

sample@cliqswiss.com · info@cliqswiss.com

www.cliqswiss.com

This information is based to best of our knowledge and on test results obtained in our laboratory. It is given in good faith and should only regard as recommendations. No warranty is given and it is advised to all users to evaluate the products carefully for their intended use. Please also consider all further information, labels, and especially the safety data sheet! For further questions, technical service, and samples, please feel free to contact us.